




Polirapid

the complete range
of high-quality products
for polishing



General Technical Information

The best technical effect is obtained by using **low** pressure acting against the object to be treated and by reducing the speed.

During the polishing operation small/ininitely small particles of the material are separated. Make sure to remove these particles sufficiently by suction and to wear safety glasses to protect your eyes as well as a breathing mask to protect the respiratory tract.

Plastic centers with conical bores for holding the spindle

The blue plastic centers for the buffing wheels (1.1 to 1.8) and the circular brushes (3.1 to 3.5) as well as the brown plastic centers for the wheel brushes (2.1) and the brushes (15. to 19.) are provided with conical bores for holding the spindles.

When attaching these centers to the spindles, make sure that the conical bore of the spindle matches the spindle reception of the polishing disc!

If this is not complied with, the plastic center will not fit tightly to the spindle. When applying a corresponding load, this may cause the center to jump off the spindle or even break.

Buffing wheels – chamois leather discs and strips (1.6 and 3.2)

Chamois leather is particularly well suited for final polishing or touching up all metals or polyamides, bakelites, caoutchouc, paladon, horn, etc.

Buffing wheels with chamois leather discs and strips may be used for dry polishing only.

Buffing wheels with textile material

To prevent the textile material of the buffing wheels from fraying out, make sure to grind them slightly using a sharpener (pumice stone, fine wire brush, knife) before initial use.

Owing to the material used, the buffing wheels cannot be entirely free from dust and fluff. Therefore, please take care that dust and fluff is sufficiently removed by suction and make sure to wear safety glasses to protect your eyes as well as a breathing mask to protect the respiratory tract.

Lathe brushes with plastic center (4.2)

After use make sure to **unscrew the brushes** from the spindle – **do not pull them off (!)** since the plastic center could be quite hot. If this is not observed, the center may separate from the sleeve.

Table of Contents

	Page
1 Buffing Wheels	
1.1 Buffing Wheels - cotton cloth (calico)	1
1.2 Buffing Wheels combined (leather - cloth - leather)	1
1.3 KFO-Buffing Wheels with superfine fabric quality	2
1.4 Buffing Wheels - flannel	2
1.5 Buffing Wheels - extra stiff for pre-polishing	3
1.6 Buffing Wheels - chamois leather discs	3
1.7 Buffing Wheels - felt discs	3
1.8 Buffing Wheels - pleated cloth	4
2 Wheel Brushes (Mops) - cotton yarn	
2.1 Wheel Brushes (Mops) - cotton yarn and plastic center	4
2.2 Wheel Brushes (Mops) - cotton yarn and wooden center	4
3 Circular Brushes	
3.1 Cotton yarn	5
3.1 Flax yarn grey	5
3.1 Glazed yarn	5
3.1 Pure wool	5
3.2 Chamois leather strips	5
3.3 Goat hair white	6
3.4 Brass wire	6
3.5 Steel wire	6
4 Lathe Brushes with conical aluminium center	
4.1 Chungking bristles black or white	7
4.1 Chungking bristles black -calico interleaved	7
4.1 Horsehair (mixed color - medium)	7
4.1 Goat hair white or grey	7
4.1 Chamois leather discs	8
4.1 Cotton yarn or flax yarn grey	8
4.1 Discs of cotton cloth (calico)	8
4.1 Brass or steel wire	8
4.1 Discs of flannel	9
4 Lathe Brushes with plastic center insert	
4.2 Chungking bristles black	9
4.2 Goat hair white	9
4.2 Horsehair black	9
5 Dental Plate Brush	
5 Chungking bristles black	10
6 Miniature Brushes mounted for hand-piece	
6.1 Horsehair (mixed color - medium) - HP	10
6.2 Chungking bristles white - HP	10
6.3 Chungking bristles black - HP	11
6.4 Goat hair white - HP	11
6.5 Goat hair grey - HP	11
6.6 Chungking bristles (extra stiff) - HP	11
6.7 Brass wire - HP	12
6.8 Steel wire (Ø 0.08 mm) - HP	12
6.9 Steel wire (Ø 0.12 mm) - HP	12

Table of Contents

	Page
6 Miniature Brushes mounted for hand-piece	
6.10 High carbon steel wire (galvanized) - HP	12
6.11 Chamois leather discs - HP	13
6.12 Felt discs - HP	13
6.13 Flannel discs - HP	13
6.14 Cotton cloth (calico) discs - HP	13
6.15 Combined discs (chamois-cloth-chamois) - HP	14
6.16 Cotton yarn - HP	14
6.17 Cotton yarn (double) - HP	14
6.18 Flax yarn grey - HP	14
7 Pencil Brushes mounted for hand-piece	
7.1 Chungking bristles white - HP	15
7.2 Chungking bristles black - HP	15
7.3 Goat hair white - HP	15
7.4 Horsehair (mixed color - medium) - HP	15
7.5 Brass wire - HP	15
7.6 Steel wire - HP	15
7.7 High carbon steel wire (galvanized) - HP	15
8 Cups mounted for hand-piece	
8 Chungking bristles and goat hairs - HP	15
8 Brass wire and steel wire - HP	16
9 Miniature Brushes (MB-U) unmounted	
9.1 Horsehair (mixed color - medium)	16
9.2 Chungking bristles white	16
9.3 Chungking bristles black	17
9.4 Goat hair white	17
9.5 Goat hair grey	17
9.6 Chungking bristles (extra stiff)	17
9.7 Brass wire	18
9.8 Steel wire (Ø 0,08 mm)	18
9.9 High carbon steel wire (galvanized)	18
9.10 Cotton yarn	19
9.11 Flax yarn grey	19
9.12 Chamois leather discs	19
9.13 Felt discs	19
9.14 Flannel discs	20
9.15 Cotton cloth (calico) discs	20
10 Pencil Brushes unmounted	
10.1 Chungking bristles white	20
10.2 Chungking bristles black	20
10.3 Goat hair white	20
10.4 Horsehair (mixed color - medium)	20
10.5 Brass wire	20
10.6 Steel wire	20
10.7 High carbon steel wire (galvanized)	20
10.8 Stainless steel (V2A)	20

Table of Contents

	Page
11 Bambino Brushes mounted for hand-piece	
11.1 Horsehair (mixed colour - medium) - HP	21
11.1 Chungking bristles white - HP	21
11.1 Chungking bristles black - HP	21
11.1 Goat hair white - HP	21
11.1 Goat hair grey - HP	21
11.1 Chungking bristles (extra stiff) - HP	21
11.1 Brass wire - HP	21
11.1 Steel wire (Ø 0.08 mm) - HP	21
11.1 High carbon steel wire (galvanized) - HP	21
11.2 Chamois leather discs - HP	21
11.2 Felt discs - HP	21
11.2 Flannel discs - HP	21
11.2 Cotton cloth (calico) discs - HP	21
11.2 Cotton yarn - HP	21
Bambino Cups mounted for HP or RA	
11.3 Bambino Cups for hand-piece (HP) or right angle (RA)	22
12 Sample Boxes	
12.1 Sample Box (Set with 18 samples for HP)	22
12.2 Sample Box (without samples)	22
13 Burs Cleaner Brushes	
13 Type No. 26 Brass wire or Steel wire	23
13 by Ash (chromium plated)	23
14 Polishing Felts	
14.1 Felt Cones - unmounted	24
14.2 Felt Wheels - unmounted (square edged)	24
14.3 Felt Wheels - unmounted (knife edged)	24
14.4 Felt points - unmounted	25
14.5 Felt points - mounted for HP	25
15 LABOR Brushes (Chungking bristles) - wooden center	
15.1 LABOR Brushes 2 rows (converging / straight)	26
15.2 LABOR Brushes 3 rows (converging / straight)	26/27
15.3 LABOR Brushes 4 rows (converging / straight)	27
15.4 LABOR Brushes 5 rows (converging / straight)	27
LABOR Brushes (Chungking bristles) - plastic center	
15.5 LABOR Brushes 2 rows (converging)	28
15.6 LABOR Brushes 3 rows (converging / straight)	28
15.7 LABOR Brushes 4 rows (converging / straight)	28
16 PRIMA Brushes (Chungking bristles black) - wooden center	
16.1 PRIMA Brushes 3 rows (converging / straight)	29
16.2 PRIMA Brushes 4 rows (converging / straight)	29
PRIMA Brushes (Chungking bristles black) - plastic center	
16.3 PRIMA Brushes 4 rows (converging / straight)	29
17 PRIMA Brushes (Chungking bristles white) - wooden center	
17.1 PRIMA Brushes white 2 rows (converging)	30
17.2 PRIMA Brushes white 3 rows (converging / straight)	30
17.3 PRIMA Brushes white 4 rows (converging / straight)	30

Table of Contents

	Page
18 SUPREMA Brushes (Chungking bristles black) - wooden center	
18.1 SUPREMA Brushes 1 row	31
18.2 SUPREMA Brushes 2 rows (converging / straight)	31
18.3 SUPREMA Brushes 3 rows (converging / straight)	32
18.4 SUPREMA Brushes 4 rows (converging / straight)	32
SUPREMA Brushes (Chungking bristles black) - plastic center	
18.5 SUPREMA Brushes 1 row	33
18.6 SUPREMA Brushes 2 rows (converging / straight)	33
18.7 SUPREMA Brushes 3 rows (converging)	33
18.8 SUPREMA Brushes 4 rows (converging / straight)	34
19 SUPREMA Brushes - textile material (interleaved)	
19.1 SUPREMA Brushes - calico interleaved	34
19.2 SUPREMA Brushes - felt interleaved	34
20 MEDIUM Brushes (horsehair) - wooden center	
20 MEDIUM Brushes 2 , 3 or 4 rows	35
21 Polishing Pastes (P1 - P2 - P3)	
21.1 Red polish P1	35
21.1 Green polish P2	35
21.1 Blue polish P3	35

Tables:

Survey of our circular brushes (1)

Survey of our circular brushes (2)

1.1 Buffing Wheels - cotton cloth (calico)

with conical plastic or leather center - different diameters Ø and different thicknesses B

Buffing Wheels - cotton cloth (calico) with conical plastic center (KK)

Polishing discs with fine (fein) or coarse (grob) cotton cloth (calico)

29 /100 KK fein	(SWK 22 100)	Ø 100 mm	B = 7 mm
29 /100 KK grob	(SWK 23 100)	Ø 100 mm	B = 7 mm
29a/100 KK fein	(SWK 22 200)	Ø 100 mm	B = 10 mm
29a/100 KK grob	(SWK 23 200)	Ø 100 mm	B = 10 mm
29b/125 KK fein	(SWK 22 300)	Ø 125 mm	B = 10 mm
29b/125 KK grob	(SWK 23 300)	Ø 125 mm	B = 10 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Buffing Wheels - cotton cloth (calico) with leather center (LK)

Polishing discs with fine (fein) or coarse (grob) cotton cloth (calico)

29 /100 LK fein	(SWL 22 100)	Ø 100 mm	B = 7 mm
29 /100 LK grob	(SWL 23 100)	Ø 100 mm	B = 7 mm
29a/100 LK fein	(SWL 22 200)	Ø 100 mm	B = 10 mm
29a/100 LK grob	(SWL 23 200)	Ø 100 mm	B = 10 mm
29b/125 LK fein	(SWL 22 300)	Ø 125 mm	B = 10 mm
29b/125 LK grob	(SWL 23 300)	Ø 125 mm	B = 10 mm
29c/100 LK grob	(SWL 23 400)	Ø 100 mm	B = 6 mm
2x quilted			

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



1.2 Buffing Wheels combined (leather - cloth - leather)

combined chamois leather and cotton cloth discs with conical plastic center

Buffing Wheels combined (leather-cloth-leather) with conical plastic center

Polishing discs with fine cotton cloth (calico) between 2 discs of chamois leather

29 NL/90 KK	(SWK 02 100)	Ø 90 mm	B = 7 mm
-------------	--------------	---------	----------


Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



1.3 KFO - Buffing Wheels with superfine fabric quality

with conical plastic center



KFO-Buffing Wheels with conical plastic center (KK)

Polishing discs with superfine fabric quality

29 KFO/100 KK (SWK 25 100) Ø 100 mm B = 5 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

1.4 Buffing Wheels - flannel

with conical plastic or leather center - different diameters Ø and different thicknesses B




Buffing Wheels - flannel with conical plastic center (KK)

Polishing discs with soft flannel material

30 /100 KK (SWK 20 100) Ø 100 mm B = 12 mm
30a/100 KK (SWK 20 200) Ø 100 mm B = 18 mm
30b/125 KK (SWK 20 300) Ø 125 mm B = 18 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Buffing Wheels - flannel with leather center (LK)

Polishing discs with soft flannel material

30 /100 LK (SWL 20 100) Ø 100 mm B = 12 mm
30a/100 LK (SWL 20 200) Ø 100 mm B = 18 mm
30b/125 LK (SWL 20 300) Ø 125 mm B = 18 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

1.5 Buffing Wheels - extra stiff for pre-polishing

with conical plastic or leather center - different diameters Ø and different thicknesses B

Buffing Wheels - extra stiff for pre-polishing with conical plastic (KK) or leather center (LK)

This stiff and impregnated material is particularly suited for pre-polishing.

31 /100 KK (SWK 24 100)	Ø 100 mm	B =7.5 mm
31 /100 LK (SWL 24 100)	Ø 100 mm	B =7.5 mm
31a/100 KK (SWK 24 200)	Ø 100 mm	B =11.5 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



1.6 Buffing Wheels - chamois leather discs

with conical plastic or leather center

Buffing Wheels - chamois leather discs with conical plastic (KK) or leather center (LK)

Buffing wheels with polishing discs of high-quality chamois leather

21a/ 90 KK (SWK 00 100)	Ø 90 mm	B = 6 mm
21b/ 85 KK (SWK 00 200)	Ø 85 mm	B = 6 mm
21c/100 LK (SWL 00 100)	Ø 100 mm	B = 6 mm
1x quilted		

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



1.7 Buffing Wheels - felt discs

with conical plastic center in different diameters Ø and thicknesses B

Buffing Wheels - felt discs with conical plastic center (KK)

Buffing wheels with 4 or 6 layers of high-quality wool felt

27/4/ 90 KK (SWK 21 100)	Ø 90 mm	B = 9 mm
27/4/100 KK (SWK 21 200)	Ø 100 mm	B = 9 mm
27/4/125 KK (SWK 21 300)	Ø 125 mm	B = 9 mm
27/6/ 90 KK (SWK 21 400)	Ø 90 mm	B = 14 mm
27/6/100 KK (SWK 21 500)	Ø 100 mm	B = 14 mm
27/6/125 KK (SWK 21 600)	Ø 125 mm	B = 14 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



1.8 Buffing Wheels - pleated cloth

with **conical** plastic center



Buffing Wheels - pleated cloth with conical plastic center (KK)

Polishing discs with pleated cloth

29d/100 KK (SWK 28 100) Ø 100 mm B = 15 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

2.1 Wheel Brushes (Mops) - cotton yarn and plastic center

100% cotton with **conical** plastic center in different diameters Ø and thicknesses B



Wheel Brushes (Mops) - cotton yarn and plastic center (KK)

Circular brushes with cotton plush for high polishing of all metals and plastics

0/50 KK	(MUK 30 100)	Ø 50 mm	B = 18 mm
1/60 KK	(MUK 30 200)	Ø 60 mm	B = 18 mm
2/70 KK	(MUK 30 300)	Ø 70 mm	B = 22 mm
3/80 KK	(MUK 30 400)	Ø 80 mm	B = 25 mm
4/90 KK	(MUK 30 500)	Ø 90 mm	B = 25 mm
5/100 KK	(MUK 30 600)	Ø 100 mm	B = 25 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

2.2 Wheel Brushes (Mops) - cotton yarn and wooden center

100% cotton with wooden center in different diameters Ø and thicknesses B



Wheel Brushes (Mops) - cotton yarn and wooden center (HK)

Circular brushes with cotton plush for high polishing of all metals and plastics

0/50 HK	(MUH 30 100)	Ø 50 mm	B = 18 mm
1/60 HK	(MUH 30 200)	Ø 60 mm	B = 18 mm
2/70 HK	(MUH 30 300)	Ø 70 mm	B = 22 mm
3/80 HK	(MUH 30 400)	Ø 80 mm	B = 25 mm
4/90 HK	(MUH 30 500)	Ø 90 mm	B = 25 mm
5/100 HK	(MUH 30 600)	Ø 100 mm	B = 25 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

3.1 Circular Brushes - yarn and wool

with conical plastic center and yarn or wool material in different diameters Ø

Circular Brushes - cotton yarn

With yarn of pure cotton and conical plastic center (KK)

20/80 KK (SRB 30 100) Ø 80 mm B = approx. 16 mm

20/90 KK (SRB 30 200) Ø 90 mm B = approx. 16 mm

Circular Brushes - flax yarn grey

With grey flax yarn without chemical additives and conical plastic center (KK)

20L/80 KK (SRB 31 100) Ø 80 mm B = approx. 13 mm

20L/90 KK (SRB 31 200) Ø 90 mm B = approx. 13 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Circular Brush - glazed yarn

With fine glazed yarn and conical plastic center (KK)

20G/90 KK (SRB 32 200) Ø 90 mm B = approx. 15 mm

Circular Brush - pure wool

With yarn of pure wool and conical plastic center (KK)

20W/80 KK (SRB 33 100) Ø 80 mm B = approx. 18 mm

20W/90 KK (SRB 33 200) Ø 90 mm B = approx. 18 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



3.2 Circular Brush - chamois leather strips

with conical plastic center

Circular Brush - chamois leather strips with conical plastic center (KK)

With strips of high-quality chamois leather

21/80 KK (SRB 00 100) Ø 80 mm B = approx. 12 mm

21/90 KK (SRB 00 200) Ø 90 mm B = approx. 12 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



3.3 Circular Brush - goat hair white

with conical plastic center



Circular Brush - goat hair white with conical plastic center (KK)

Circular brush with extremely soft goat hair (white)

32/90 KK (SRB 12 100) Ø 90 mm B = approx. 12 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

3.4 Circular Brush - brass wire

with different diameters Ø and wire thicknesses and conical plastic center



Circular Brush - brass wire with conical plastic center (KK)

Circular brush, different diameters and wire thicknesses

22/0,06/80 (SRB 56 100)	Ø 80 mm	wire Ø = 0.06 mm
22/0,06/90 (SRB 56 200)	Ø 90 mm	wire Ø = 0.06 mm
22/0,08/80 (SRB 58 100)	Ø 80 mm	wire Ø = 0.08 mm
22/0,08/90 (SRB 58 200)	Ø 90 mm	wire Ø = 0.08 mm
22/0,10/80 (SRB 50 100)	Ø 80 mm	wire Ø = 0.10 mm
22/0,10/90 (SRB 50 200)	Ø 90 mm	wire Ø = 0.10 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

3.5 Circular Brush - steel wire

with different diameters Ø and wire thicknesses and conical plastic center



Circular Brush - steel wire with conical plastic center (KK)

Circular brush, different diameters and wire thicknesses

25/0,08/80 (SRB 68 100)	Ø 80 mm	wire Ø = 0.08 mm
25/0,08/90 (SRB 68 200)	Ø 90 mm	wire Ø = 0.08 mm
25/0,10/80 (SRB 60 100)	Ø 80 mm	wire Ø = 0.10 mm
25/0,10/90 (SRB 60 200)	Ø 90 mm	wire Ø = 0.10 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

4.1 Lathe Brushes with conical aluminium center (1)

Brushes with aluminium center and various materials for use with polishing spindle


Lathe Brushes - Chungking bristles black or white

Lathe brushes with conical aluminium center and black or white Chungking bristles - for use with polishing spindle

150/48	(SBA 11 100)	Ø 48 mm	B = 4 mm	bristles black
150/60	(SBA 11 200)	Ø 60 mm	B = 5 mm	bristles black
151/48	(SBA 10 100)	Ø 48 mm	B = 4 mm	bristles white

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




Lathe Brushes - Chungking bristles black, calico interleaved

Lathe brushes with conical aluminium center and black Chungking bristles, calico interleaved - for use with polishing spindle

150L/48 (SBA 11 300) Ø 48 mm B = 4 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Lathe Brushes - horsehair (mixed color - medium)

Lathe brushes with conical aluminium center and horsehair bristles (mixed color) - for use with polishing spindle

150M/48 (SBA 15 100) Ø 48 mm B = 5 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Lathe Brushes - goat hair white or grey

Lathe brushes with conical aluminium center and white or grey goat hair - for use with polishing spindle

152/50	(SBA 12 100)	Ø 50 mm	B = 5 mm	goat hair white
152/60	(SBA 12 200)	Ø 60 mm	B = 5 mm	goat hair white
153/50	(SBA 13 100)	Ø 50 mm	B = 5 mm	goat hair grey


Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



4.1 Lathe Brushes with conical aluminium center (2)

Brushes with aluminium center and various materials for use with polishing spindle



Lathe Brushes - chamois leather discs

Lathe brush with conical aluminium center and discs of chamois leather - for use with polishing spindle

154/50 (SBA 00 100) Ø 50 mm B = approx. 7 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Lathe Brushes - cotton yarn or flax yarn grey

Lathe brush with conical aluminium center and white cotton or grey flax yarn - for use with polishing spindle

155 /50 (SBA 30 100) Ø 50 mm B = 9 mm (cotton yarn)

155L/50 (SBA 31 100) Ø 50 mm B = 9 mm (flax yarn grey)

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Lathe Brushes - discs of cotton cloth (calico)

Lathe brush with conical aluminium center and discs of cotton cloth (calico) - for use with polishing spindle

156/50 (SBA 22 100) Ø 50 mm B = 5.5 mm

156/90 (SBA 22 200) Ø 90 mm B = 6.0 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Lathe Brushes - brass or steel wire

Lathe brush with conical aluminium center and brass or steel wire - for use with polishing spindle

157/50 (SBA 58 100) Ø 50 mm wire Ø = 0.08 mm (brass)

158/50 (SBA 68 100) Ø 50 mm wire Ø = 0.08 mm (steel)

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

4.1 Lathe Brushes with conical aluminium center (3)

Brushes with aluminium center and various materials for use with polishing spindle


Lathe Brushes - discs of flannel

Lathe brush with conical aluminium center and discs of soft flannel - for use with polishing spindle

159/50 (SBA 20 100) Ø 50 mm B = 8 mm
159/90 (SBA 20 200) Ø 90 mm B = 11 mm

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



4.2 Lathe Brushes with plastic center insert

Brushes with plastic center and various materials for use with polishing spindle

Lathe Brushes - Chungking bristles black or goat hair white (blue plastic insert)


Lathe brush with plastic center and black Chungking bristles or white goat hair - for use with polishing spindle

160/48 (SBK 11 100) Ø 48 mm B = 4 mm (bristles black)
162/48 (SBK 12 100) Ø 48 mm B = 5 mm (goat hair white)

Regular package 160/48: PU= 12 pcs

Regular package 162/48: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Lathe Brushes - horsehair hard or horsehair medium (yellow or white plastic insert)

Lathe brush with plastic center and horsehair hard or medium - for use with polishing spindle

163/48 (SBK 17 100) Ø 48 mm B = 4 mm (yellow insert)
163MH/48 (SBK 16 100) Ø 48 mm B = 4 mm (white insert)

Brush No. 163/48 is made of tail hair which is harder than brush No. 163MH/48 made of mane hair.

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



5 Dental Plate Brush

Cup brush with Chungking bristles



Dental Plate Brush - Cup brush with Chungking bristles black on red plastic base

The bore in the plastic base allows the use with a polishing spindle

145 (KOB 12 100) Ø 35 mm (black bristles)

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

6 Miniature Brushes (MB-H) mounted for hand-piece (1)

Miniature brushes for HP with different diameters Ø and materials




6.1 MB-H Wheels - horsehair (mixed color)

Miniature brushes, horsehair (mixed color - medium) - mounted for hand-piece (HP)

109/17	(MBH 15 100)	Ø 17 mm
109/19	(MBH 15 200)	Ø 19 mm
109/21	(MBH 15 300)	Ø 21 mm
109/23	(MBH 15 400)	Ø 23 mm
109/25	(MBH 15 500)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



6.2 MB-H Wheels - Chungking bristles white

Miniature brushes, white bristles - mounted for hand-piece (HP)

110/17	(MBH 10 100)	Ø 17 mm
110/19	(MBH 10 200)	Ø 19 mm
110/21	(MBH 10 300)	Ø 21 mm
110/23	(MBH 10 400)	Ø 23 mm
110/25	(MBH 10 500)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

6 Miniature Brushes (MB-H) mounted for hand-piece (2)

Miniature brushes for HP with different diameters Ø and materials


6.3 MB-H Wheels - Chungking bristles black

Miniature brushes, Chungking bristles black - mounted for hand-piece (HP)

111/17	(MBH 11 100)	Ø 17 mm
111/19	(MBH 11 200)	Ø 19 mm
111/21	(MBH 11 300)	Ø 21 mm
111/23	(MBH 11 400)	Ø 23 mm
111/25	(MBH 11 500)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.4 MB-H Wheels - goat hair white

Miniature brushes, goat hair white (very soft) - mounted for hand-piece (HP)

112/17	(MBH 12 100)	Ø 17 mm
112/19	(MBH 12 200)	Ø 19 mm
112/21	(MBH 12 300)	Ø 21 mm
112/23	(MBH 12 400)	Ø 23 mm
112/25	(MBH 12 500)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.5 MB-H Wheels - goat hair grey

Miniature brushes, goat hair grey (very soft) - mounted for hand-piece (HP)

113/17	(MBH 13 100)	Ø 17 mm
113/19	(MBH 13 200)	Ø 19 mm
113/21	(MBH 13 300)	Ø 21 mm
113/23	(MBH 13 400)	Ø 23 mm
113/25	(MBH 13 500)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



6.6 MB-H Wheels - Chungking bristles (extra stiff)

Miniature brushes, Chungking bristles extra stiff - mounted for hand-piece (HP)

114/17	(MBH 14 100)	Ø 17 mm
114/19	(MBH 14 200)	Ø 19 mm
114/21	(MBH 14 300)	Ø 21 mm
114/23	(MBH 14 400)	Ø 23 mm
114/25	(MBH 14 500)	Ø 25 mm


Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



6 Miniature Brushes (MB-H) mounted for hand-piece (3)

Miniature Brushes for HP with different diameters Ø and materials



6.7 MB-H Wheels - brass wire (0.08 mm)

Miniature brushes, brass wire 0.08 mm - mounted for hand-piece (HP)

115/17	(MBH 58 101)	Ø 17 mm
115/19	(MBH 58 201)	Ø 19 mm
115/21	(MBH 58 301)	Ø 21 mm
115/23	(MBH 58 401)	Ø 23 mm
115/25	(MBH 58 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.8 MB-H Wheels - steel wire (0.08 mm)

Miniature brushes, steel wire 0.08 mm - mounted for hand-piece (HP)

116/17	S08 (MBH 68 101)	Ø 17 mm
116/19	S08 (MBH 68 201)	Ø 19 mm
116/21	S08 (MBH 68 301)	Ø 21 mm
116/23	S08 (MBH 68 401)	Ø 23 mm
116/25	S08 (MBH 68 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



6.9 MB-H Wheels - steel wire (0.12 mm)

Miniature brushes, steel wire 0.12 mm - mounted for hand-piece (HP)

116/17	S12 (MBH 62 101)	Ø 17 mm
116/19	S12 (MBH 62 201)	Ø 19 mm
116/21	S12 (MBH 62 301)	Ø 21 mm
116/23	S12 (MBH 62 401)	Ø 23 mm
116/25	S12 (MBH 62 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



6.10 MB-H Wheels -high carbon steel wire, galvanized (0.08 mm)

Miniature brushes, high carbon steel wire 0.08 mm (galvanized) - mounted for hand-piece (HP)

117/17	(MBH 78 101)	Ø 17 mm
117/19	(MBH 78 201)	Ø 19 mm
117/21	(MBH 78 301)	Ø 21 mm
117/23	(MBH 78 401)	Ø 23 mm
117/25	(MBH 78 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

6 Miniature Brushes (MB-H) mounted for hand-piece (4)

Miniature Brushes for HP with different diameters Ø and materials

6.11 MB-H Discs - chamois leather

Miniature brushes with discs of high-quality chamois leather - mounted for hand-piece (HP)

100/17	(MBH 00 101)	Ø 17 mm
100/19	(MBH 00 201)	Ø 19 mm
100/21	(MBH 00 301)	Ø 21 mm
100/23	(MBH 00 401)	Ø 23 mm
100/25	(MBH 00 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.12 MB-H Discs - felt

Miniature brushes with discs of high-quality wool felt - mounted for hand-piece (HP)

101/17	(MBH 21 101)	Ø 17 mm
101/19	(MBH 21 201)	Ø 19 mm
101/21	(MBH 21 301)	Ø 21 mm
101/23	(MBH 21 401)	Ø 23 mm
101/25	(MBH 21 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.13 MB-H Discs - flannel

Miniature brushes with discs of soft flannel - mounted for hand-piece (HP)

102/17	(MBH 20 101)	Ø 17 mm
102/19	(MBH 20 201)	Ø 19 mm
102/21	(MBH 20 301)	Ø 21 mm
102/23	(MBH 20 401)	Ø 23 mm
102/25	(MBH 20 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.14 MB-H Discs - cotton cloth (calico)

Miniature brushes with discs of cotton cloth (calico) - mounted for hand-piece (HP)

102N/17	(MBH 22 101)	Ø 17 mm
102N/19	(MBH 22 201)	Ø 19 mm
102N/21	(MBH 22 301)	Ø 21 mm
102N/23	(MBH 22 401)	Ø 23 mm
102N/25	(MBH 22 501)	Ø 25 mm


Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



6 Miniature Brushes (MB-H) mounted for hand-piece (5)

Miniature Brushes for HP with different diameters Ø and materials




6.15 MB-H Discs - combined (chamois-cloth-chamois)

Miniature brushes with discs of cotton cloth between two discs of chamois leather - mounted for hand-piece (HP)

102NL/19	(MBH 02 201)	Ø 19 mm
102NL/21	(MBH 02 301)	Ø 21 mm
102NL/23	(MBH 02 401)	Ø 23 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.16 MB-H Wheels - cotton yarn

Miniature brushes with soft cotton yarn - mounted for hand-piece (HP)

103/17	(MBH 30 101)	Ø 17 mm
103/19	(MBH 30 201)	Ø 19 mm
103/21	(MBH 30 301)	Ø 21 mm
103/23	(MBH 30 401)	Ø 23 mm
103/25	(MBH 30 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




6.17 MB-H Wheels - cotton yarn (double)

Miniature brushes with cotton yarn (twice the thickness of 103/...) - mounted for hand-piece (HP)

103d/17	(MBH 30 111)	Ø 17 mm
103d/19	(MBH 30 211)	Ø 19 mm
103d/21	(MBH 30 311)	Ø 21 mm
103d/23	(MBH 30 411)	Ø 23 mm
103d/25	(MBH 30 511)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



6.18 MB-H Wheels - flax yarn grey

Miniature brushes with natural grey flax yarn - mounted for hand-piece (HP)

103L/17	(MBH 31 101)	Ø 17 mm
103L/19	(MBH 31 201)	Ø 19 mm
103L/21	(MBH 31 301)	Ø 21 mm
103L/23	(MBH 31 401)	Ø 23 mm
103L/25	(MBH 31 501)	Ø 25 mm

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

7 Pencil Brushes (PI-H) mounted for hand-piece (HP)

Pencil Brushes for HP with different materials

7.1 - 7.4 Pencil brushes mounted - bristles and hair

Pencil brushes, bristles, goat hair and horsehair (medium) - mounted for hand-piece (HP)

104 a	(PIH 10 100)	Ø 5 mm	bristles white
104 b	(PIH 11 100)	Ø 5 mm	bristles black
104 c	(PIH 12 100)	Ø 5 mm	goat hair white
104 d	(PIH 15 100)	Ø 5 mm	horsehair (medium)

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



7.5 - 7.7 Pencil brushes mounted - different wires

Pencil brushes, brass wire, steel wire and high carbon steel - mounted for hand-piece (HP)

104 e	(PIH 55 100)	Ø 5 mm	brass wire
104 s	(PIH 92 100)	Ø 5 mm	steel wire
104 f	(PIH 72 100)	Ø 5 mm	high carbon steel galvanized

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



8 Cups (KE-H) mounted for hand-piece (HP)

Cups for HP with different materials

Cups mounted - bristles and hair

Cups, bristles (white and black) and goat hair (white and grey) - mounted for hand-piece (HP)

105	(KEH 10 100)	Ø 9.7 mm	bristles white
106	(KEH 11 100)	Ø 9.7 mm	bristles black
107	(KEH 12 100)	Ø 9.7 mm	goat hair white
108	(KEH 13 100)	Ø 9.7 mm	goat hair grey

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



8 Cups (KE-H) mounted for hand-piece (HP)

Cups for HP with different materials



Cups mounted - brass or steel wire

Cups, brass wire and steel wire - mounted for hand-piece (HP)

105 M	(KEH 58 101)	Ø 9.7 mm	brass wire	(Ø 0.08 mm)
105 S08	(KEH 68 101)	Ø 9.7 mm	steel wire	(Ø 0.08 mm)
105 S12	(KEH 62 101)	Ø 9.7 mm	steel wire	(Ø 0.12 mm)

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

9 Miniature Brushes (MB-U) unmounted (1)

Miniature Brushes unmounted with different diameters Ø and materials



9.1 MB-U Wheels - horsehair (mixed color) (unmounted)

Miniature brushes, horsehair (mixed color - medium) - unmounted

132/17	(MBU 15 100)	Ø 17 mm
132/19	(MBU 15 200)	Ø 19 mm
132/21	(MBU 15 300)	Ø 21 mm
132/23	(MBU 15 400)	Ø 23 mm
132/25	(MBU 15 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.2 MB-U Wheels - Chungking bristles white (unmounted)

Miniature brushes, white bristles - unmounted

120/17	(MBU 10 100)	Ø 17 mm
120/19	(MBU 10 200)	Ø 19 mm
120/21	(MBU 10 300)	Ø 21 mm
120/23	(MBU 10 400)	Ø 23 mm
120/25	(MBU 10 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

9 Miniature Brushes (MB-U) unmounted (2)

Miniature Brushes unmounted with different diameters Ø and materials


9.3 MB-U Wheels - Chungking bristles black

Miniatur brushes, Chungking bristles black - unmounted

121/17	(MBU 11 100)	Ø 17 mm
121/19	(MBU 11 200)	Ø 19 mm
121/21	(MBU 11 300)	Ø 21 mm
121/23	(MBU 11 400)	Ø 23 mm
121/25	(MBU 11 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.4 MB-U Wheels - goat hair white

Miniature brushes, goat hair white (very soft) - unmounted

122/17	(MBU 12 100)	Ø 17 mm
122/19	(MBU 12 200)	Ø 19 mm
122/21	(MBU 12 300)	Ø 21 mm
122/23	(MBU 12 400)	Ø 23 mm
122/25	(MBU 12 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.5 MB-U Wheels - goat hair grey

Miniature brushes, goat hair grey (very soft) - unmounted

123/17	(MBU 13 100)	Ø 17 mm
123/19	(MBU 13 200)	Ø 19 mm
123/21	(MBU 13 300)	Ø 21 mm
123/23	(MBU 13 400)	Ø 23 mm
123/25	(MBU 13 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.6 MB-U Wheels - Chungking bristles (extra stiff)

Miniature brushes, Chungking bristles extra stiff - unmounted

124/17	(MBU 14 100)	Ø 17 mm
124/19	(MBU 14 200)	Ø 19 mm
124/21	(MBU 14 300)	Ø 21 mm
124/23	(MBU 14 400)	Ø 23 mm
124/25	(MBU 14 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9 Miniature Brushes (MB-U) unmounted (3)

Miniature Brushes unmounted with different diameters Ø and materials



9.7 MB-U Wheels - brass wire (0.08 mm)

Miniature brushes, brass wire - unmounted

126/17	(MBU 58 100)	Ø 17 mm
126/19	(MBU 58 200)	Ø 19 mm
126/21	(MBU 58 300)	Ø 21 mm
126/23	(MBU 58 400)	Ø 23 mm
126/25	(MBU 58 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.8 MB-U Wheels - steel wire (0.08 mm)

Miniature brushes, steel wire 0.08 mm - unmounted

136/17 S08	(MBU 68 100)	Ø 17 mm
136/19 S08	(MBU 68 200)	Ø 19 mm
136/21 S08	(MBU 68 300)	Ø 21 mm
136/23 S08	(MBU 68 400)	Ø 23 mm
136/25 S08	(MBU 68 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.9 MB-U Wheels - high carbon steel wire, galvanized (0.08 mm)

Miniature brushes, high carbon steel wire 0.08 mm (galvanized) - unmounted

137/17	(MBU 78 100)	Ø 17 mm
137/19	(MBU 78 200)	Ø 19 mm
137/21	(MBU 78 300)	Ø 21 mm
137/23	(MBU 78 400)	Ø 23 mm
137/25	(MBU 78 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

9 Miniature Brushes (MB-U) unmounted (4)

Miniature Brushes unmounted with different diameters Ø and materials

9.10 MB-U Wheels - cotton yarn

Miniature brushes with soft cotton yarn - unmounted

125/17	(MBU 30 100)	Ø 17 mm
125/19	(MBU 30 200)	Ø 19 mm
125/21	(MBU 30 300)	Ø 21 mm
125/23	(MBU 30 400)	Ø 23 mm
125/25	(MBU 30 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.11 MB-U Wheels - flax yarn grey

Miniature brushes with natural grey flax yarn - unmounted

125L/17	(MBU 31 100)	Ø 17 mm
125L/19	(MBU 31 200)	Ø 19 mm
125L/21	(MBU 31 300)	Ø 21 mm
125L/23	(MBU 31 400)	Ø 23 mm
125L/25	(MBU 31 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.12 MB-U Discs - chamois leather

Miniature brushes with discs of high-quality chamois leather - unmounted

127/17	(MBU 00 100)	Ø 17 mm
127/19	(MBU 00 200)	Ø 19 mm
127/21	(MBU 00 300)	Ø 21 mm
127/23	(MBU 00 400)	Ø 23 mm
127/25	(MBU 00 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




9.13 MB-U Discs - felt

Miniature brushes with discs of high-quality wool felt - unmounted

128/17	(MBU 21 100)	Ø 17 mm
128/19	(MBU 21 200)	Ø 19 mm
128/21	(MBU 21 300)	Ø 21 mm
128/23	(MBU 21 400)	Ø 23 mm
128/25	(MBU 21 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9 Miniature Brushes (MB-U) unmounted (5)

Miniature Brushes unmounted with different diameters Ø and materials



9.14 MB-U Discs - flannel

Miniature brushes with discs of soft flannel - unmounted

129/17	(MBU 20 100)	Ø 17 mm
129/19	(MBU 20 200)	Ø 19 mm
129/21	(MBU 20 300)	Ø 21 mm
129/23	(MBU 20 400)	Ø 23 mm
129/25	(MBU 20 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



9.15 MB-U Discs - cotton cloth (calico)

Miniature brushes with discs of cotton cloth (calico) - unmounted

129N/17	(MBU 22 100)	Ø 17 mm
129N/19	(MBU 22 200)	Ø 19 mm
129N/21	(MBU 22 300)	Ø 21 mm
129N/23	(MBU 22 400)	Ø 23 mm
129N/25	(MBU 22 500)	Ø 25 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

10 Pencil Brushes (PI-U) unmounted

Pencil Brushes unmounted with different materials



10.1 - 10.8 Pencils unmounted

Pencil brushes unmounted with different materials

130 a	(PIU 10 100)	Ø 3 mm	bristles white
130 b	(PIU 11 100)	Ø 3 mm	bristles black
130 c	(PIU 12 100)	Ø 3 mm	goat hair white
130 d	(PIU 15 100)	Ø 3 mm	horsehair (medium)
130 e	(PIU 55 100)	Ø 3 mm	brass wire
130 s	(PIU 92 100)	Ø 3 mm	steel wire
130 f	(PIU 72 100)	Ø 3 mm	high carbon steel galvanized
130 v	(PIU 82 100)	Ø 3 mm	stainless steel wire (V2A)

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

11.1 Bambino Brushes (wheels) mounted for hand-piece (HP)

Miniature Brushes for HP with diameters Ø = 15 mm and different materials


Bambino Wheels - bristles and hair

Miniature brushes, bristles and hair - mounted for hand-piece (HP)

109 B/15	(MBH 15 000)	Ø 15 mm	horsehair (medium)
110 B/15	(MBH 10 000)	Ø 15 mm	bristles white
111 B/15	(MBH 11 000)	Ø 15 mm	bristles black
112 B/15	(MBH 12 000)	Ø 15 mm	goat hair white
113 B/15	(MBH 13 000)	Ø 15 mm	goat hair grey
114 B/15	(MBH 14 000)	Ø 15 mm	bristles, extra stiff

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Bambino Wheels - different wires

Miniature brushes, brass wire and steel wire - mounted for hand-piece (HP)

115 B/15	(MBH 58 001)	Ø 15 mm	brass wire 0.08 mm
116 B/15	(MBH 68 001)	Ø 15 mm	steel wire 0.08 mm
117 B/15	(MBH 78 001)	Ø 15 mm	high carbon steel wire (galvanized)

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



11.2 Bambino Brushes (discs) mounted for hand-piece (HP)

Miniature Brushes for HP with diameters Ø = 15 mm and different materials

Bambino Discs - cloth and yarn

Miniature brushes with textile material - mounted for hand-piece (HP)

100 B/15	(MBH 00 001)	Ø 15 mm	chamois leather
101 B/15	(MBH 21 001)	Ø 15 mm	felt
102 B/15	(MBH 20 001)	Ø 15 mm	flannel
102N B/15	(MBH 22 001)	Ø 15 mm	cotton cloth
103 B/15	(MBH 30 001)	Ø 15 mm	cotton yarn

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



11.3 Bambino Cups for hand-piece (HP) or right angle (RA)

Miniature Cups for HP or RA with different materials



Bambino Cups - different materials

Miniature cups - mounted for hand-piece (HP) or right angle (RA)


105 BH	(KEH 10 000)	Ø 6.5 mm	bristles white (HP)
105 BW	(KEW 10 000)	Ø 6.5 mm	bristles white (RA)
105 BWP	(KEW 08 000)	Ø 6.5 mm	Nylon (RA)
107 BH	(KEH 12 000)	Ø 6.5 mm	goat hair white (HP)
107 BW	(KEW 12 000)	Ø 6.5 mm	goat hair white (RA)

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

12.1 Sample Box including samples

Set with 18 samples mounted for HP



Sample Box including samples and transparent cover

With 18 different samples

No. 200 (STA 09 100)

The box includes the following articles:

Row 1:	110/21	111/21	112/21	109/21	102/21	
Row 2:	103/21	100/21	101/21	115/21	60/21	61/21
Row 3:	105	106	104a	56	55	57 58

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

12.2 Sample Box (without samples)

Sample box without samples



Sample Box with transparent cover without samples

Without samples - otherwise same as article No. 200 (STA 09 100)

No. 200 U (STU 09 100)

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

13 Burs Cleaner Brushes

Steel wire or brass wire

Burs Cleaner Brushes

Steel wire or brass wire

No. 26 M	(BRB 55 100)	brass wire
No. 26 S	(BRB 65 100)	steel wire

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Burs Cleaner Brush by Ash

Brass wire chromium-plated

No. 28	(BRB 65 500)	Ø 9 / 7.5 mm	length = 114 mm
--------	--------------	--------------	-----------------

Regular package: PU = 1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



14.1 Felt Cones unmounted

Polishing felts of high-quality wool felt



Felt cones unmounted

Felt cones in different sizes (also for polishing spindle)


50/20x10	(FKU 10 100)	Ø 10 mm	H = 20 mm	(PU = 12)
50/25x15	(FKU 15 100)	Ø 15 mm	H = 25 mm	(PU = 12)
50/30x15	(FKU 15 200)	Ø 15 mm	H = 30 mm	(PU = 12)
50/35x20	(FKU 20 100)	Ø 20 mm	H = 35 mm	(PU = 12)
50/40x20	(FKU 20 200)	Ø 20 mm	H = 40 mm	(PU = 12)
50/50x20	(FKU 20 300)	Ø 20 mm	H = 50 mm	(PU = 12)
50/45x25	(FKU 25 100)	Ø 25 mm	H = 45 mm	(PU = 12)
50/50x25	(FKU 25 200)	Ø 25 mm	H = 50 mm	(PU = 12)
50/60x30	(FKU 30 100)	Ø 30 mm	H = 60 mm	(PU = 6)

Regular package: PU = 12 / 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

14.2 Felt Wheels (square edged) unmounted

Polishing felts of high-quality wool felt



Felt Wheels (square edged) unmounted

Felt wheels in different sizes

51/25x 4	(FZU 25 100)	Ø 25 mm	H = 4 mm
----------	--------------	---------	----------

Regular package: PU = 12 pcs

51/40x10	(FZU 40 100)	Ø 40 mm	H = 10 mm
51/50x10	(FZU 50 100)	Ø 50 mm	H = 10 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

14.3 Felts Wheels (knife edged) unmounted

Polishing felts of high-quality wool felt



Felts Wheels (knife edged) unmounted

Knife edged felt wheels in different sizes

52/30x10	(FLU 30 100)	Ø 30 mm	H = 10 mm
52/40x10	(FLU 40 100)	Ø 40 mm	H = 10 mm
52/50x10	(FLU 50 100)	Ø 50 mm	H = 10 mm

Regular package: PU = 6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

14.4 Felt points unmounted

Felt points of high-quality wool felt

Felt points unmounted

Felt points in different shapes and sizes

No. 75	(FTU 09 100)	Ø 9 mm	H = 13 mm
No. 76	(FBU 09 100)	Ø 9 mm	H = 13 mm
No. 77	(FKU 07 100)	Ø 7 mm	H = 15 mm
No. 78	(FSU 06 100)	Ø 6 mm	H = 15 mm

Illustration from left:

No. 75 No. 76 No. 77 No. 78

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Felt points unmounted

Felt points in different shapes and sizes

79/17	(FZU 17 100)	Ø 17 mm	H = 3.5 mm
79/21	(FZU 21 100)	Ø 21 mm	H = 3.5 mm
80/17	(FLU 17 100)	Ø 17 mm	H = 5.0 mm
80/21	(FLU 21 100)	Ø 21 mm	H = 5.0 mm
No. 81	(FPU 21 100)	Ø 21/9 mm	H = 6.0 mm

Illustration from left: 79/21 80/21 No. 81

79/17 80/17 No. 81

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



14.5 Felt points mounted for hand-piece (HP)

Polishing felts mounted of high-quality wool felt

Felt points mounted for hand-piece (HP)

Felt points in different shapes and sizes for the hand-piece

No. 55	(FTH 09 110)	Ø 9 mm	H = 13 mm
No. 56	(FBH 09 110)	Ø 9 mm	H = 13 mm
No. 57	(FKH 07 110)	Ø 7 mm	H = 15 mm
No. 58	(FSH 06 110)	Ø 6 mm	H = 15 mm

Illustration from left:

No. 55 No. 56 No. 57 No. 58

Regular package: PU = 12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



Felt points mounted for hand-piece (HP)

Felt points in different shapes and sizes for the hand-piece


59/17	(FZH 17 101)	Ø 17 mm	H = 3.5 mm
59/21	(FZH 21 101)	Ø 21 mm	H = 3.5 mm
60/17	(FLH 17 101)	Ø 17 mm	H = 5.0 mm
60/21	(FLH 21 101)	Ø 21 mm	H = 5.0 mm
No. 61	(FPH 21 101)	Ø 21/9 mm	H = 6.0 mm

Illustration from left: 59/17 60/17 No. 61

59/21 60/21 No. 61

Regular package: PU = 12 pcs


In case of different packing units please refer to the code numbers (...) stated in the current price list.



15 LABOR Brushes with wooden or plastic center

Circular brushes, Chungking bristles (converging or straight)

Explanation of signs and abbreviations used in the following



R = Number of Rows
A = Center diameter
B = Total diameter
PU = Regular package

▲ converging type

■ straight type

15.1 LABOR Brushes 2 rows, wooden center ▲ ■

Circular brushes, Chungking bristles (converging or straight) - wooden center



LABOR Brushes 2 rows, wooden center ▲

With different diameters - converging

Type	Code	R	A	B	PU
2/25/50 LHs	(RLH 21 100)	2▲	25 mm	50 mm	12 pcs
2/28/55 LHs	(RLH 22 100)	2▲	28 mm	55 mm	12 pcs
2/33/65 LHs	(RLH 23 100)	2▲	33 mm	65 mm	6 pcs
2/40/60 LHs	(RLH 24 100)	2▲	40 mm	60 mm	12 pcs
2/40/70 LHs	(RLH 24 200)	2▲	40 mm	70 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



LABOR Brushes 2 rows, wooden center ■

With different diameters - straight

Type	Code	R	A	B	PU
2/25/50 LHb	(RLH 21 110)	2■	25 mm	50 mm	12 pcs
2/28/55 LHb	(RLH 22 110)	2■	28 mm	55 mm	12 pcs
2/33/65 LHb	(RLH 23 110)	2■	33 mm	65 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

15.2 LABOR Brushes 3 rows, wooden center ▲

Circular brushes, Chungking bristles (converging) - wooden center



LABOR Brushes 3 rows, wooden center ▲

With different diameters - converging

Type	Code	R	A	B	PU
3/28/55 LHs	(RLH 32 100)	3▲	28 mm	55 mm	6 pcs
3/33/65 LHs	(RLH 33 100)	3▲	33 mm	65 mm	6 pcs
3/33/70 LHs	(RLH 33 200)	3▲	33 mm	70 mm	6 pcs
3/40/60 LHs	(RLH 34 100)	3▲	40 mm	60 mm	12 pcs
3/40/70 LHs	(RLH 34 200)	3▲	40 mm	70 mm	12 pcs
3/40/80 LHs	(RLH 34 300)	3▲	40 mm	80 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

15.2 LABOR Brushes 3 rows, wooden center ■

Circular brushes, Chungking bristles (straight) - wooden center

LABOR Brushes 3 rows, wooden center ■

With different diameters - straight

Type	Code	R	A	B	PU
3/28/55 LHb	(RLH 32 110)	3 ■	28 mm	55 mm	6 pcs
3/33/65 LHb	(RLH 33 110)	3 ■	33 mm	65 mm	6 pcs
3/33/70 LHb	(RLH 33 210)	3 ■	33 mm	70 mm	6 pcs
3/40/60 LHb	(RLH 34 110)	3 ■	40 mm	60 mm	12 pcs
3/40/70 LHb	(RLH 34 210)	3 ■	40 mm	70 mm	12 pcs
3/40/80 LHb	(RLH 34 310)	3 ■	40 mm	80 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



15.3 LABOR Brushes 4 rows, wooden center ▲ ■

Circular brushes, Chungking bristles (converging or straight) - wooden center

LABOR Brushes 4 rows, wooden center ▲ ■

With different diameters - converging or straight

Type	Code	R	A	B	PU
4/40/60 LHs	(RLH 44 100)	4 ▲	40 mm	60 mm	12 pcs
4/40/60 LHb	(RLH 44 110)	4 ■	40 mm	60 mm	12 pcs
4/40/70 LHs	(RLH 44 200)	4 ▲	40 mm	70 mm	12 pcs
4/40/70 LHb	(RLH 44 210)	4 ■	40 mm	70 mm	12 pcs
4/40/80 LHs	(RLH 44 300)	4 ▲	40 mm	80 mm	12 pcs
4/40/80 LHb	(RLH 44 310)	4 ■	40 mm	80 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



15.4 LABOR Brushes 5 rows, wooden center ▲ ■

Circular brushes, Chungking bristles (converging or straight) - wooden center

LABOR Brushes 5 rows, wooden center ▲ ■

converging or straight

Type	Code	R	A	B	PU
5/45/90 LHs	(RLH 55 100)	5 ▲	45 mm	90 mm	6 pcs
5/45/90 LHb	(RLH 55 110)	5 ■	45 mm	90 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



15.5 LABOR Brushes 2 rows, plastic center ▲

Circular brushes, Chungking bristles (converging) - plastic center



LABOR Brushes 2 rows, plastic center ▲

- converging

Type	Code	R	A	B	PU
2/28/55 LKs	(RLK 22 100)	2▲	28 mm	55 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

15.6 LABOR Brushes 3 rows, plastic center ▲ ■

Circular brushes, Chungking bristles (converging or straight) - plastic center



LABOR Brushes 3 rows, plastic center ▲ ■

converging or straight

Type	Code	R	A	B	PU
3/28/55 LKs	(RLK 32 100)	3▲	28 mm	55 mm	6 pcs
3/28/55 LKb	(RLK 32 110)	3■	28 mm	55 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

15.7 LABOR Brushes 4 rows, plastic center ▲ ■

Circular brushes, Chungking bristles (converging or straight) - plastic center



LABOR Brushes 4 rows, plastic center ▲ ■

With different diameters - converging or straight


Type	Code	R	A	B	PU
4/40/60 LKs	(RLK 44 100)	4▲	40 mm	60 mm	12 pcs
4/40/60 LKb	(RLK 44 110)	4■	40 mm	60 mm	12 pcs
4/40/70 LKs	(RLK 44 200)	4▲	40 mm	70 mm	12 pcs
4/40/70 LKb	(RLK 44 210)	4■	40 mm	70 mm	12 pcs
4/40/80 LKs	(RLK 44 300)	4▲	40 mm	80 mm	12 pcs
4/40/80 LKb	(RLK 44 310)	4■	40 mm	80 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.

16 PRIMA Brushes with wooden or plastic center ▲ ■

Circular brushes, Chungking bristles stiff (converging or straight)

Explanation of signs and abbreviations used in the following



R = Number of Rows
A = Center diameter
B = Total diameter
PU = Regular package

▲ converging type

■ straight type

16.1 PRIMA Brushes 3 rows, wooden center ▲ ■

Chungking bristles stiff with different diameters - converging and straight

Type	Code	R	A	B	PU
3/40/60 PHs	(RPH 34 100)	3▲	40 mm	60 mm	1 pce
3/40/60 PHb	(RPH 34 110)	3■	40 mm	60 mm	1 pce
3/40/70 PHs	(RPH 34 200)	3▲	40 mm	70 mm	1 pce
3/40/70 PHb	(RPH 34 210)	3■	40 mm	70 mm	1 pce
3/40/80 PHs	(RPH 34 300)	3▲	40 mm	80 mm	1 pce
3/40/80 PHb	(RPH 34 310)	3■	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



16.2 PRIMA Brushes 4 rows, wooden center ▲ ■

Chungking bristles stiff with different diameters - converging and straight

Type	Code	R	A	B	PU
4/40/60 PHs	(RPH 44 100)	4▲	40 mm	60 mm	1 pcs
4/40/60 PHb	(RPH 44 110)	4■	40 mm	60 mm	1 pcs
4/40/70 PHs	(RPH 44 200)	4▲	40 mm	70 mm	1 pcs
4/40/70 PHb	(RPH 44 210)	4■	40 mm	70 mm	1 pcs
4/40/80 PHs	(RPH 44 300)	4▲	40 mm	80 mm	1 pcs
4/40/80 PHb	(RPH 44 310)	4■	40 mm	80 mm	1 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



16.3 PRIMA Brushes 4 rows, plastic center ▲ ■

Chungking bristles stiff with different diameters - converging and straight

Type	Code	R	A	B	PU
4/40/60 PKs	(RPK 44 100)	4▲	40 mm	60 mm	1 pcs
4/40/60 PKb	(RPK 44 110)	4■	40 mm	60 mm	1 pcs
4/40/70 PKs	(RPK 44 200)	4▲	40 mm	70 mm	1 pcs
4/40/70 PKb	(RPK 44 210)	4■	40 mm	70 mm	1 pcs
4/40/80 PKs	(RPK 44 300)	4▲	40 mm	80 mm	1 pcs
4/40/80 PKb	(RPK 44 310)	4■	40 mm	80 mm	1 pcs


In case of different packing units please refer to the code numbers (...) stated in the current price list.



17 PRIMA Brushes white bristles - wooden center ▲ ■

Circular brushes, Chungking white bristles stiff (converging or straight)

Explanation of signs and abbreviations used in the following



R = Number of Rows
A = Center diameter
B = Total diameter
PU = Regular package

▲ converging type

■ straight type



17.1 PRIMA Brushes, white bristles, 2 rows wooden center ▲

Chungking white bristles stiff with different diameters - converging

Type	Code	R	A	B	PU
2/25/50 PHws	(RWH 21 100)	2▲	25 mm	50 mm	6 pcs
2/28/55 PHws	(RWH 22 100)	2▲	28 mm	55 mm	6 pcs
2/33/65 PHws	(RWH 23 100)	2▲	33 mm	65 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



17.2 PRIMA Brushes, white bristles, 3 rows wooden center ▲ ■

Chungking white bristles stiff with different diameters
- converging or straight

Type	Code	R	A	B	PU
3/28/55 PHws	(RWH 32 100)	3▲	28 mm	55 mm	6 pcs
3/33/65 PHws	(RWH 33 100)	3▲	33 mm	65 mm	6 pcs
3/40/80 PHws	(RWH 34 300)	3▲	40 mm	80 mm	1 pce
3/40/80 PHwb	(RWH 34 310)	3■	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



17.3 PRIMA Brushes, white bristles, 4 rows wooden center ▲ ■

Chungking white bristles stiff with different diameters
- converging or straight


Type	Code	R	A	B	PU
4/40/80 PHws	(RWH 44 300)	4▲	40 mm	80 mm	1 pce
4/40/80 PHwb	(RWH 44 310)	4■	40 mm	80 mm	1 pce
4/40/85 PHws	(RWH 44 400)	4▲	40 mm	85 mm	1 pce
4/40/85 PHwb	(RWH 44 410)	4■	40 mm	85 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

18 SUPREMA Brushes - wooden center ▲ ■

Circular brushes, Chungking bristles extra stiff (converging or straight)

Explanation of signs and abbreviations used in the following



R = Number of Rows
A = Center diameter
B = Total diameter
PU = Regular package

▲ converging type

■ straight type

18.1 SUPREMA Brushes 1 row, wooden center


Circular brushes, Chungking bristles extra stiff - wooden center

SUPREMA Brushes 1 row, wooden center

Chungking bristles extra stiff

Type	Code	R	A	B	PU
1/25/50 SH	(RSH 11 100)	1	25 mm	50 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



18.2 SUPREMA Brushes 2 rows, wooden center ▲ ■

Circular brushes, Chungking bristles extra stiff (converging or straight) - wooden center

SUPREMA Brushes 2 rows, wooden center ▲

Chungking bristles extra stiff with different diameters - converging

Type	Code	R	A	B	PU
2/25/50 SHs	(RSH 21 100)	2▲	25 mm	50 mm	6 pcs
2/28/55 SHs	(RSH 22 100)	2▲	28 mm	55 mm	6 pcs
2/33/65 SHs	(RSH 23 100)	2▲	33 mm	65 mm	6 pcs
2/40/60 SHs	(RSH 24 100)	2▲	40 mm	60 mm	6 pcs
2/40/70 SHs	(RSH 24 200)	2▲	40 mm	70 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




SUPREMA Brushes 2 rows, wooden center ■

Chungking bristles extra stiff with different diameters - straight

Type	Code	R	A	B	PU
2/25/50 SHb	(RSH 21 110)	2■	25 mm	50 mm	6 pcs
2/28/55 SHb	(RSH 22 110)	2■	28 mm	55 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



18.3 SUPREMA Brushes 3 rows, wooden center ▲ ■

Circular brushes, Chungking bristles extra stiff (converging or straight) - wooden center



SUPREMA Brushes 3 rows, wooden center ▲

Chungking bristles extra stiff with different diameters - converging

Type	Code	R	A	B	PU
3/28/55 SHs	(RSH 32 100)	3▲	28 mm	55 mm	6 pcs
3/33/65 SHs	(RSH 33 100)	3▲	33 mm	65 mm	6 pcs
3/33/70 SHs	(RSH 33 200)	3▲	33 mm	70 mm	6 pcs
3/40/60 SHs	(RSH 34 100)	3▲	40 mm	60 mm	1 pce
3/40/70 SHs	(RSH 34 200)	3▲	40 mm	70 mm	1 pce
3/40/80 SHs	(RSH 34 300)	3▲	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



SUPREMA Brushes 3 rows, wooden center ■

Chungking bristles extra stiff with different diameters - straight

Type	Code	R	A	B	PU
3/28/55 SHb	(RSH 32 110)	3■	28 mm	55 mm	6 pcs
3/33/65 SHb	(RSH 33 110)	3■	33 mm	65 mm	6 pcs
3/33/70 SHb	(RSH 33 210)	3■	33 mm	70 mm	6 pcs
3/40/60 SHb	(RSH 34 110)	3■	40 mm	60 mm	1 pce
3/40/70 SHb	(RSH 34 210)	3■	40 mm	70 mm	1 pce
3/40/80 SHb	(RSH 34 310)	3■	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

18.4 SUPREMA Brushes 4 rows, wooden center ▲ ■

Circular brushes, Chungking bristles extra stiff (converging or straight) - wooden center



SUPREMA Brushes 4 rows, wooden center ▲

Chungking bristles extra stiff with different diameters - converging

Type	Code	R	A	B	PU
4/40/60 SHs	(RSH 44 100)	4▲	40 mm	60 mm	1 pce
4/40/70 SHs	(RSH 44 200)	4▲	40 mm	70 mm	1 pce
4/40/80 SHs	(RSH 44 300)	4▲	40 mm	80 mm	1 pce
4/40/85 SHs	(RSH 44 400)	4▲	40 mm	85 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.



SUPREMA Brushes 4 rows, wooden center ■

Chungking bristles extra stiff with different diameters - straight


Type	Code	R	A	B	PU
4/40/60 SHb	(RSH 44 110)	4■	40 mm	60 mm	1 pce
4/40/70 SHb	(RSH 44 210)	4■	40 mm	70 mm	1 pce
4/40/80 SHb	(RSH 44 310)	4■	40 mm	80 mm	1 pce
4/40/85 SHb	(RSH 44 410)	4■	40 mm	85 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

18 SUPREMA Brushes - plastic center ▲ ■

Circular brushes, Chungking bristles extra stiff (converging or straight)

Explanation of signs and abbreviations used in the following



R = Number of Rows
A = Center diameter
B = Total diameter
PU = Regular package

▲ converging type


■ straight type

18.5 SUPREMA Brushes 1 row, plastic center

Chungking bristles extra stiff

Type	Code	R	A	B	PU
1/25/50 SK	(RSK 11 100)	1	25 mm	50 mm	12 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.




18.6 SUPREMA Brushes 2 rows, plastic center

▲ ■

Chungking bristles extra stiff with different diameters
- converging or straight

Type	Code	R	A	B	PU
2/28/55 SKs	(RSK 22 100)	2▲	28 mm	55 mm	6 pcs
2/28/55 SKb	(RSK 22 110)	2■	28 mm	55 mm	6 pcs
2/50/70 SKs	(RSK 26 100)	2▲	50 mm	70 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



18.7 SUPREMA Brushes 3 rows, plastic center

▲

Chungking bristles extra stiff - converging

Type	Code	R	A	B	PU
3/28/55 SKs	(RSK 32 100)	3▲	28 mm	55 mm	6 pcs

In case of different packing units please refer to the code numbers (...) stated in the current price list.



18.8 SUPREMA Brushes 4 rows, plastic center (conical) ▲ ■

Circular brushes, Chungking bristles extra stiff (converging or straight) - plastic center



SUPREMA Brushes 4 rows, plastic center ▲ ■


Chungking bristles extra stiff with different diameters
- converging or straight

Type	Code	R	A	B	PU
4/40/60 SKs	(RSK 44 100)	4 ▲	40 mm	60 mm	1 pce
4/40/60 SKb	(RSK 44 110)	4 ■	40 mm	60 mm	1 pce
4/40/70 SKs	(RSK 44 200)	4 ▲	40 mm	70 mm	1 pce
4/40/70 SKb	(RSK 44 210)	4 ■	40 mm	70 mm	1 pce
4/40/80 SKs	(RSK 44 300)	4 ▲	40 mm	80 mm	1 pce
4/40/80 SKb	(RSK 44 310)	4 ■	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

19.1 SUPREMA Brushes, plastic center, calico interleaved ▲

Circular brushes, 2-, 3- or 4 rows, Chungking bristles extra stiff (converging) - plastic center



SUPREMA Brushes, calico interleaved ▲

Circular brushes, 2, 3 or 4 rows, Chungking bristles extra stiff, **calico interleaved** (converging) - plastic center

R = R / L R = Rows of bristles
 L = Number of calico discs interleaved

Type	Code	R	A	B	PU
2/40/80 SKLs	(RST 24 100)	2 / 1	40 mm	80 mm	1 pce
3/40/80 SKLs	(RST 34 100)	3 / 2	40 mm	80 mm	1 pce
4/40/80 SKLs	(RST 44 100)	4 / 3	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

19.2 SUPREMA Brushes, plastic center, felt interleaved ▲

Circular brushes, 2 or 3 rows, Chungking bristles extra stiff (converging) - plastic center



SUPREMA Brushes, felt interleaved ▲

Circular brushes, 2 or 3 rows, Chungking bristles extra stiff, **felt interleaved** (converging) - plastic center

R = R / F R = Rows of bristles
 F = Number of felt discs interleaved


Type	Code	R	A	B	PU
2/40/80 SKFs	(RSF 24 100)	2 / 1	40 mm	80 mm	1 pce
3/40/80 SKFs	(RSF 34 100)	3 / 2	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers (...) stated in the current price list.

20 MEDIUM Brushes, wooden center ▲

Circular brushes, horsehair medium (converging) - wooden center

Explanation of signs and abbreviations used in the following



R = Number of Rows
A = Center diameter
B = Total diameter
PU = Regular package

▲ converging type

■ straight type

MEDIUM Brushes, horsehair, wooden center ▲

Horsehair medium with 2, 3 or 4 rows and different diameters
- converging

Type	Code	R	A	B	PU
2/28/55 MHs	(RMH 22 100)	2	28 mm	55 mm	6 pcs
3/28/55 MHs	(RMH 32 100)	3	28 mm	55 mm	6 pcs
4/40/80 MHs	(RMH 44 300)	4	40 mm	80 mm	1 pce

In case of different packing units please refer to the code numbers
(...) stated in the current price list.



21 Polishing paste P1 P2 P3

Polishing paste for high-lustre polishing

Red polish

for high-lustre polishing of gold and steel

P1 (POP 91 100) PU = 1 pce

Green polish

for high-lustre polishing of stainless steel, palatium, silver, etc.

P2 (POP 92 100) PU = 1 pce

Blue polish

for high-lustre polishing of plastics and caoutchouc

P3 (POP 93 100) PU = 1 pce

In case of different packing units please refer to the code numbers
(...) stated in the current price list.



Notes:

[illegible]

Survey of the different qualities of our circular brushes (1)

Labor Chungking bristles (black)

Prima white Chungking bristles stiff (white)

Prima Chungking bristles stiff (black)

Suprema Chungking bristles extra stiff (black)

Medium ... horsehair (black)

Suprema Calico calico interleaved

Suprema Felt felt interleaved

Brushes			R	Center		Total	PU	Catalogue	
Type	Code	Quality		Material	Ø	Ø		Group	Page-Pict.
2/25/50 LHs	(RLH 21 100)	Labor	2▲	wood	25 mm	50 mm	12 pcs	16.1	26-1
2/25/50 LHb	(RLH 21 110)	Labor	2■	wood	25 mm	50 mm	12 pcs	16.1	26-2
2/28/55 LHs	(RLH 22 100)	Labor	2▲	wood	28 mm	55 mm	12 pcs	16.1	26-1
2/28/55 LHb	(RLH 22 110)	Labor	2■	wood	28 mm	55 mm	12 pcs	16.1	26-2
2/28/55 LKs	(RLK 22 100)	Labor	2▲	plastic	28 mm	55 mm	12 pcs	16.5	28-1
2/33/65 LHs	(RLH 23 100)	Labor	2▲	wood	33 mm	65 mm	6 pcs	16.1	26-1
2/33/65 LHb	(RLH 23 110)	Labor	2■	wood	33 mm	65 mm	6 pcs	16.1	26-2
2/40/60 LHs	(RLH 24 100)	Labor	2▲	wood	40 mm	60 mm	12 pcs	16.1	26-1
2/40/70 LHs	(RLH 24 200)	Labor	2▲	wood	40 mm	70 mm	12 pcs	16.1	26-1
3/28/55 LHs	(RLH 32 100)	Labor	3▲	wood	28 mm	55 mm	6 pcs	16.2	26-3
3/28/55 LHb	(RLH 32 110)	Labor	3■	wood	28 mm	55 mm	6 pcs	16.2	27-1
3/28/55 LKs	(RLK 32 100)	Labor	3▲	plastic	28 mm	55 mm	6 pcs	16.6	28-2
3/28/55 LKb	(RLK 32 110)	Labor	3■	plastic	28 mm	55 mm	6 pcs	16.6	28-2
3/33/65 LHs	(RLH 33 100)	Labor	3▲	wood	33 mm	65 mm	6 pcs	16.2	26-3
3/33/65 LHb	(RLH 33 110)	Labor	3■	wood	33 mm	65 mm	6 pcs	16.2	27-1
3/33/70 LHs	(RLH 33 200)	Labor	3▲	wood	33 mm	70 mm	6 pcs	16.2	26-3
3/33/70 LHb	(RLH 33 210)	Labor	3■	wood	33 mm	70 mm	6 pcs	16.2	27-1
3/40/60 LHs	(RLH 34 100)	Labor	3▲	wood	40 mm	60 mm	12 pcs	16.2	26-3
3/40/60 LHb	(RLH 34 110)	Labor	3■	wood	40 mm	60 mm	12 pcs	16.2	27-1
3/40/70 LHs	(RLH 34 200)	Labor	3▲	wood	40 mm	70 mm	12 pcs	16.2	26-3
3/40/70 LHb	(RLH 34 210)	Labor	3■	wood	40 mm	70 mm	12 pcs	16.2	27-1
3/40/80 LHs	(RLH 34 300)	Labor	3▲	wood	40 mm	80 mm	12 pcs	16.2	26-3
3/40/80 LHb	(RLH 34 310)	Labor	3■	wood	40 mm	80 mm	12 pcs	16.2	27-1
4/40/60 LHs	(RLH 44 100)	Labor	4▲	wood	40 mm	60 mm	12 pcs	16.3	27-2
4/40/60 LHb	(RLH 44 110)	Labor	4■	wood	40 mm	60 mm	12 pcs	16.3	27-2
4/40/60 LKs	(RLK 44 100)	Labor	4▲	plastic	40 mm	60 mm	12 pcs	16.7	28-3
4/40/60 LKb	(RLK 44 110)	Labor	4■	plastic	40 mm	60 mm	12 pcs	16.7	28-3
4/40/70 LHs	(RLH 44 200)	Labor	4▲	wood	40 mm	70 mm	12 pcs	16.3	27-2
4/40/70 LHb	(RLH 44 210)	Labor	4■	wood	40 mm	70 mm	12 pcs	16.3	27-2
4/40/70 LKs	(RLK 44 200)	Labor	4▲	plastic	40 mm	70 mm	12 pcs	16.7	28-3
4/40/70 LKb	(RLK 44 210)	Labor	4■	plastic	40 mm	70 mm	12 pcs	16.7	28-3
4/40/80 LHs	(RLH 44 300)	Labor	4▲	wood	40 mm	80 mm	12 pcs	16.3	27-2
4/40/80 LHb	(RLH 44 310)	Labor	4■	wood	40 mm	80 mm	12 pcs	16.3	27-2
4/40/80 LKs	(RLK 44 300)	Labor	4▲	plastic	40 mm	80 mm	12 pcs	16.7	28-3
4/40/80 LKb	(RLK 44 310)	Labor	4■	plastic	40 mm	80 mm	12 pcs	16.7	28-3
5/45/90 LHs	(RLH 55 100)	Labor	5▲	wood	45 mm	90 mm	6 pcs	16.4	27-3
5/45/90 LHb	(RLH 55 110)	Labor	5■	wood	45 mm	90 mm	6 pcs	16.4	27-3
3/40/60 PHs	(RPH 34 100)	Prima	3▲	wood	40 mm	60 mm	1 pce	17.1	29-1
3/40/60 PHb	(RPH 34 110)	Prima	3■	wood	40 mm	60 mm	1 pce	17.1	29-1
3/40/70 PHs	(RPH 34 200)	Prima	3▲	wood	40 mm	70 mm	1 pce	17.1	29-1
3/40/70 PHb	(RPH 34 210)	Prima	3■	wood	40 mm	70 mm	1 pce	17.1	29-1
3/40/80 PHs	(RPH 34 300)	Prima	3▲	wood	40 mm	80 mm	1 pce	17.1	29-1
3/40/80 PHb	(RPH 34 310)	Prima	3■	wood	40 mm	80 mm	1 pce	17.1	29-1
4/40/60 PHs	(RPH 44 100)	Prima	4▲	wood	40 mm	60 mm	1 pce	17.2	29-2
4/40/60 PHb	(RPH 44 110)	Prima	4■	wood	40 mm	60 mm	1 pce	17.1	29-1
4/40/70 PHs	(RPH 44 200)	Prima	4▲	wood	40 mm	70 mm	1 pce	17.2	29-2
4/40/70 PHb	(RPH 44 210)	Prima	4■	wood	40 mm	70 mm	1 pce	17.1	29-1
4/40/80 PHs	(RPH 44 300)	Prima	4▲	wood	40 mm	80 mm	1 pce	17.2	29-2
4/40/80 PHb	(RPH 44 310)	Prima	4■	wood	40 mm	80 mm	1 pce	17.1	29-1
4/40/60 PKs	(RPH 44 100)	Prima	4▲	plastic	40 mm	60 mm	1 pce	17.3	29-3
4/40/60 PKb	(RPH 44 110)	Prima	4■	plastic	40 mm	60 mm	1 pce	17.3	29-3
4/40/70 PKs	(RPH 44 200)	Prima	4▲	plastic	40 mm	70 mm	1 pce	17.3	29-3
4/40/70 PKb	(RPH 44 210)	Prima	4■	plastic	40 mm	70 mm	1 pce	17.3	29-3
4/40/80 PKs	(RPH 44 300)	Prima	4▲	plastic	40 mm	80 mm	1 pce	17.3	29-3
4/40/80 PKb	(RPH 44 310)	Prima	4■	plastic	40 mm	80 mm	1 pce	17.3	29-3
2/25/50 PHws	(RWH 21 100)	Prima white	2▲	wood	25 mm	50 mm	6 pcs	18.1	30-1
2/28/55 PHws	(RWH 22 100)	Prima white	2▲	wood	28 mm	55 mm	6 pcs	18.1	30-1

Survey of the different qualities of our circular brushes (2):

Labor Chungking bristles (black)

Prima white Chungking bristles stiff (white)

Prima Chungking bristles stiff (black)

Suprema Chungking bristles extra stiff (black)

Medium ... horsehair (black)

Suprema Calico calico interleaved

Suprema Felt felt interleaved

Brushes			R	Center		Total Ø	PU	Catalogue	
Type	Code	Quality		Material	Ø			Group	Page-Pict
2/33/65 PHws	(RWH 23 100)	Prima white	2▲	wood	33 mm	65 mm	6 pcs	18.1	30-1
3/28/55 PHws	(RWH 32 100)	Prima white	3▲	wood	28 mm	55 mm	6 pcs	18.2	30-2
3/33/65 PHws	(RWH 33 100)	Prima white	3▲	wood	33 mm	65 mm	6 pcs	18.2	30-2
3/40/80 PHws	(RWH 34 300)	Prima white	3▲	wood	40 mm	80 mm	1 pce	18.2	30-2
3/40/80 PHwb	(RWH 34 310)	Prima white	3■	wood	40 mm	80 mm	1 pce	18.2	30-2
4/40/80 PHws	(RWH 44 300)	Prima white	4▲	wood	40 mm	80 mm	1 pce	18.3	30-3
4/40/80 PHwb	(RWH 44 310)	Prima white	4■	wood	40 mm	80 mm	1 pce	18.3	30-3
4/40/85 PHws	(RWH 44 400)	Prima white	4▲	wood	40 mm	85 mm	1 pce	18.3	30-3
4/40/85 PHwb	(RWH 44 410)	Prima white	4■	wood	40 mm	85 mm	1 pce	18.3	30-3
1/25/50 SH	(RSH 11 100)	Suprema	1	wood	25 mm	50 mm	12 pcs	19.1	31-1
1/25/50 SK	(RSK 11 100)	Suprema	1	plastic	25 mm	50 mm	12 pcs	19.5	33-1
2/25/50 SHs	(RSH 21 100)	Suprema	2▲	wood	25 mm	50 mm	6 pcs	19.2	31-2
2/25/50 SHb	(RSH 21 110)	Suprema	2■	wood	25 mm	50 mm	6 pcs	19.2	31-3
2/28/55 SHs	(RSH 22 100)	Suprema	2▲	wood	28 mm	55 mm	6 pcs	19.2	31-2
2/28/55 SHb	(RSH 22 110)	Suprema	2■	wood	28 mm	55 mm	6 pcs	19.2	31-3
2/28/55 SKs	(RSK 22 100)	Suprema	2▲	plastic	28 mm	55 mm	6 pcs	19.6	33-2
2/28/55 SKb	(RSK 22 110)	Suprema	2■	plastic	28 mm	55 mm	6 pcs	19.6	33-2
2/33/65 SHs	(RSH 23 100)	Suprema	2▲	wood	33 mm	65 mm	6 pcs	19.2	31-2
2/40/60 SHs	(RSH 24 100)	Suprema	2▲	wood	40 mm	60 mm	6 pcs	19.2	31-2
2/40/70 SHs	(RSH 24 200)	Suprema	2▲	wood	40 mm	70 mm	6 pcs	19.2	31-2
2/50/70 SKs	(RSK 26 100)	Suprema	2▲	plastic	50 mm	70 mm	6 pcs	19.6	33-2
3/28/55 SHs	(RSH 32 100)	Suprema	3▲	wood	28 mm	55 mm	6 pcs	19.3	32-1
3/28/55 SHb	(RSH 32 110)	Suprema	3■	wood	28 mm	55 mm	6 pcs	19.3	32-2
3/28/55 SKs	(RSK 32 100)	Suprema	3▲	plastic	28 mm	55 mm	6 pcs	19.7	33-3
3/33/65 SHs	(RSH 33 100)	Suprema	3▲	wood	33 mm	65 mm	6 pcs	19.3	32-1
3/33/65 SHb	(RSH 33 110)	Suprema	3■	wood	33 mm	65 mm	6 pcs	19.3	32-2
3/33/70 SHs	(RSH 33 200)	Suprema	3▲	wood	33 mm	70 mm	6 pcs	19.3	32-1
3/33/70 SHb	(RSH 33 210)	Suprema	3■	wood	33 mm	70 mm	6 pcs	19.3	32-2
3/40/60 SHs	(RSH 34 100)	Suprema	3▲	wood	40 mm	60 mm	1 pce	19.3	32-1
3/40/60 SHb	(RSH 34 110)	Suprema	3■	wood	40 mm	60 mm	1 pce	19.3	32-2
3/40/70 SHs	(RSH 34 200)	Suprema	3▲	wood	40 mm	70 mm	1 pce	19.3	32-1
3/40/70 SHb	(RSH 34 210)	Suprema	3■	wood	40 mm	70 mm	1 pce	19.3	32-2
3/40/80 SHs	(RSH 34 300)	Suprema	3▲	wood	40 mm	80 mm	1 pce	19.3	32-1
3/40/80 SHb	(RSH 34 310)	Suprema	3■	wood	40 mm	80 mm	1 pce	19.3	32-2
4/40/60 SHs	(RSH 44 100)	Suprema	4▲	wood	40 mm	60 mm	1 pce	19.4	32-3
4/40/60 SHb	(RSH 44 110)	Suprema	4■	wood	40 mm	60 mm	1 pce	19.4	32-4
4/40/60 SKs	(RSK 44 100)	Suprema	4▲	plastic	40 mm	60 mm	1 pce	19.8	34-1
4/40/60 SKb	(RSK 44 110)	Suprema	4■	plastic	40 mm	60 mm	1 pce	19.8	34-1
4/40/70 SHs	(RSH 44 200)	Suprema	4▲	wood	40 mm	70 mm	1 pce	19.4	32-3
4/40/70 SHb	(RSH 44 210)	Suprema	4■	wood	40 mm	70 mm	1 pce	19.4	32-4
4/40/70 SKs	(RSK 44 200)	Suprema	4▲	plastic	40 mm	70 mm	1 pce	19.8	34-1
4/40/70 SKb	(RSK 44 210)	Suprema	4■	plastic	40 mm	70 mm	1 pce	19.8	34-1
4/40/80 SHs	(RSH 44 300)	Suprema	4▲	wood	40 mm	80 mm	1 pce	19.4	32-3
4/40/80 SHb	(RSH 44 310)	Suprema	4■	wood	40 mm	80 mm	1 pce	19.4	32-4
4/40/80 SKs	(RSK 44 300)	Suprema	4▲	plastic	40 mm	80 mm	1 pce	19.8	34-1
4/40/80 SKb	(RSK 44 310)	Suprema	4■	plastic	40 mm	80 mm	1 pce	19.8	34-1
4/40/85 SHs	(RSH 44 400)	Suprema	4▲	wood	40 mm	85 mm	1 pce	19.4	32-3
4/40/85 SHb	(RSH 44 410)	Suprema	4■	wood	40 mm	85 mm	1 pce	19.4	32-4
2/40/80 SKLs	(RST 24 100)	Supr. Calico	2▲	plastic	40 mm	80 mm	1 pce	20.1	34-2
3/40/80 SKLs	(RST 34 100)	Supr. Calico	3▲	plastic	40 mm	80 mm	1 pce	20.1	34-2
4/40/80 SKLs	(RST 44 100)	Supr. Calico	4▲	plastic	40 mm	80 mm	1 pce	20.1	34-2
2/40/80 SKFs	(RSF 24 100)	Supr. Felt	2▲	plastic	40 mm	80 mm	1 pce	20.2	34-3
3/40/80 SKFs	(RSF 34 100)	Supr. Felt	3▲	plastic	40 mm	80 mm	1 pce	20.2	34-3
2/28/55 MHs	(RMH 22 100)	Medium	2▲	wood	28 mm	55 mm	6 pcs	21	35-1
3/28/55 MHs	(RMH 32 100)	Medium	3▲	wood	28 mm	55 mm	6 pcs	21	35-1
4/40/80 MHs	(RMH 44 300)	Medium	4▲	wood	40 mm	80 mm	1 pce	21	35-1